

Nevada Medicaid

HIPAA Transaction
Standard Companion Guide

837 Health Care Claim/Encounter: Institutional Encounter (8371)

The information in this Companion Guide is valid to use for the certification/testing to transition to the modernized MMIS and upon implementation of the MMIS Modernization Project

June 18, 2018

Medicaid Management Information System (MMIS)

Department of Health and Human Services (DHHS)

Division of Health Care Financing and Policy (DHCFP)

Disclosure Statement

The following Nevada Medicaid companion guide is intended to serve as a companion document to the corresponding Accredited Standards Committee (ASC) X12N/005010X223 Health Care Claim Institutional (837I), its related Addenda (005010X223A2), and its related Errata (005010X223E1). The companion guide further specifies the requirements to be used when preparing, submitting, receiving, and processing electronic health care administrative data. The companion guide supplements, but does not contradict, disagree, oppose, or otherwise modify the 005010X223 in a manner that will make its implementation by users to be out of compliance.

NOTE: Type 1 Technical Report Type 3 (TR3) Errata are substantive modifications, necessary to correct impediments to implementation and are identified with a letter "A" in the errata document identifier. Type 1 TR3 Errata were formerly known as Implementation Guide Addenda.

Type 2 TR3 Errata are typographical modifications and are identified with a letter "E" in the errata document identifier.

The information contained in this companion guide is subject to change. Electronic Data Interchange (EDI) submitters are advised to check the Nevada Medicaid website at http://www.medicaid.nv.gov/providers/edi.aspx regularly for the latest updates.

DXC Technology is the fiscal agent for Nevada Medicaid and is referred to as Nevada Medicaid throughout this document.

About DHCFP

The Nevada Department of Health and Human Services' Division of Health Care Financing and Policy (DHCFP) works in partnership with the Centers for Medicare & Medicaid Services (CMS) to assist in providing quality medical care for eligible individuals and families with low incomes and limited resources. The medical programs are known as Medicaid and Nevada Check Up.

DHCFP website: Medicaid Services Manual, rates, policy updates, public notices: http://dhcfp.nv.gov.

Preface

The Health Insurance Portability and Accountability Act of 1996 (HIPAA) requires that Medicaid and all other health insurance payers in the United States comply with the Electronic Data Interchange (EDI) standards for health care as established by the Secretary of Health and Human Services.

This companion guide to the 5010 ASC X12N TR3 documents and associated errata and addenda adopted under Health Insurance Portability and Accountability Act (HIPAA) clarifies and specifies the data content when exchanging electronically with Nevada Medicaid. Transmissions based on this companion guide, used in tandem with 005010 ASC X12 TR3 documents, are compliant with both ASC X12 syntax and those guides. This companion guide is intended to convey information that is within the framework of the ASC X12N TR3 documents adopted for use

06/18/2018 i

under HIPAA. The companion guide is not intended to convey information that in any way exceeds the requirements or usages of data expressed in the TR3 documents.

06/18/2018 ii

Table of Contents

1	Intro	duction	1
	1.1	Scope	2
	1.2	Overview	3
	1.3	References	3
	1.4	Additional Information	3
2	Getti	ng Started	4
	2.1	Trading Partner Registration	4
	2.2	Certification and Testing Overview	5
3	Test	ing with Nevada Medicaid	6
	3.1	Testing Process	6
	3.2	File Naming Standard	7
4	Conr	nectivity with Nevada Medicaid/ Communications	8
	4.1	Process Flows	8
	4.2	Health Care Encounter Claim and Response	9
	4.3	Transmission Administrative Procedures	9
	4.4	System Availability	. 10
	4.5	Transmission File Size	. 10
	4.6	Transmission Errors	. 10
	4.7	Re-transmission Procedure	. 10
	4.8	Communication Protocol Specifications	. 10
	4.9	Passwords	. 11
5	Cont	act Information	. 12
	5.1	EDI Customer Service	. 12
	5.2	EDI Technical Assistance	. 12
	5.3	Customer Service/Provider Enrollment	. 13
	5.4	Applicable Websites/Email	. 13
6	Cont	rol Segments/Envelopes	.16
	6.1	ISA-IEA	.16
	6.2	GS-GE	. 19
	6.3	ST-SE	20
	6.4	Control Segment Notes	. 21
	6.5	File Delimiters	. 21
7	Neva	ada Medicaid Specific Business Rules and Limitations	23

	7.1	Encounter Claim Submissions	23
	7.2	Adjustments and Voids	23
	7.3	Logical File Structure	23
	7.4	Compliance Checking	24
	7.5	Document Level Rejection	24
	7.6	Encounter Claim Detail Status	24
	7.7	Contract Information	24
	7.8	Claim Check or Remittance Date	24
	7.9	Duplicate Encounter Institutional Claim Logic	24
8	Ackn	owledgements and/or Reports	27
	8.1	The TA1 Interchange Acknowledgement	27
	8.2	The 999 Implementation Acknowledgement	29
	8.3	The 837 Encounter Response File	33
	8.4	Encounter Claim Duplicate File	35
9	Trad	ing Partner Agreements	36
10	Tran	saction Specific Information	37
	10.1	837I Encounter (Inbound)	37
Αŗ	pendi	x A: Implementation Checklist	53
Αŗ	pendi	x B: SNIP Edit (Compliance)	54
Αŗ	pendi	x C: Transmission Examples	56
Αŗ	pendi	x D: Frequently Asked Questions	59

06/18/2018 iv

1 Introduction

This section describes how TR3 Implementation Guides, also called 837I ASC X12N (version 005010X223), adopted under HIPAA, will be detailed with the use of a table. The tables contain a Notes/Comments column for each segment that Nevada Medicaid has information additional to the TR3 Implementation Guide. That information can:

- Limit the repeat of loops, or segments
- Limit the length of a simple data element
- Specify a sub-set of the implementation guide's internal code listings
- Clarify the use of loops, segments, composite and simple data elements
- Provide any other information tied directly to a loop, segment, and composite, or simple data element pertinent to trading electronically with Nevada Medicaid

In addition to the row for each segment (highlighted in blue in the tables), one or more additional rows are used to describe Nevada Medicaid's usage for composite and simple data elements and for any other information. Notes and comments should be placed at the deepest level of detail. For example, a note about a code value should be placed on a row specifically for that code value, not in a general note about the segment.

The following table specifies the columns and suggested use of the rows for the detailed description of the transaction set companion guides. The table contains a Notes/Comments column to provide additional information from Nevada Medicaid for specific segments provided by the TR3 Implementation Guide. The following is just an example of the type of information that would be spelled out or elaborated on in the Section 10: Transaction Specific Information.

TR3 Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
193	2100C	NM1	Subscriber Name			This type of row always exists to indicate that a new segment has begun. It is always shaded at 10 percent and notes or comments about the segment itself go in this cell.
193	2100C	NM109	Subscriber Primary Identifier	00	15	This type of row exists to limit the length of the specified data element.
196	2100C	REF	Subscriber Additional Identification			
197	2100C	REFO1	Reference Identification Qualifier	18, 49,		These are the only codes transmitted by Nevada Medicaid

TR3 Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
				6P, HJ, N6		Management Information System (NVMMIS).
			Plan Network Identification Number	N6		This type of row exists when a note for a particular code value is required. For example, this note may say that value N6 is the default. Not populating the first three columns makes it clear that the code value belongs to the row immediately above it.
218	2110C	EB	Subscriber Eligibility or Benefit Information			
241	2110C	EB13-1	Product/Service ID Qualifier	AD		This row illustrates how to indicate a component data element in the Reference column and also how to specify that only one code value is applicable.

1.1 Scope

This section specifies the appropriate and recommended use of the companion guide.

This companion guide is intended for Trading Partner use in conjunction with the TR3 HIPAA 5010 837 Institutional Implementation Guide for the purpose of submitting institutional encounter claims electronically. This companion guide is not intended to replace the TR3 Implementation Guide. The TR3 defines the national data standards, electronic format, and values for each data element within an electronic transaction. The purpose of this companion guide is to provide Trading Partners with a companion guide to communicate Nevada Medicaid-specific information required to successfully exchange transactions electronically with Nevada Medicaid. The instructions in this companion guide are not intended to be stand-alone requirements. This companion guide conforms to all the requirements of any associated ASC X12 Implementation Guide and is in conformance with ASC X12's Fair Use and Copyright statements.

Nevada Medicaid will accept and process any HIPAA-compliant transaction; however, a compliant transaction that does not contain Nevada Medicaid Encounter specific information, though processed, may be rejected. For example, a compliant 837 institutional encounter claim (8371) created with an invalid Nevada Medicaid recipient identification number will be rejected by the Encounter Engine for recipient ID number not on file.

Refer to this companion guide first if there is a question about how Nevada Medicaid processes a HIPAA transaction.

1.2 Overview

This section specifies how to use the various sections of the document in combination with each other.

Nevada Medicaid created this companion guide for Nevada Trading Partners to supplement the X12N Implementation Guide. This guide contains Nevada Medicaid specific instructions related to the following:

- Data formats, content, codes, business rules and characteristics of the electronic transaction
- Technical requirements and transmission options
- Information on testing procedures that each Trading Partner must complete before transmitting electronic transactions

This companion guide must be used in conjunction with the TR3 instructions. The companion guide is intended to assist Trading Partners in implementing electronic 837 institutional encounter claim (837I) transactions that meet Nevada Medicaid processing standards by identifying pertinent structural and data-related requirements and recommendations. Updates to this companion guide will occur periodically and new documents will be posted on the Nevada Medicaid Provider Web Portal at https://www.medicaid.nv.gov/providers/edi.aspx.

1.3 References

This section specifies additional useful reference documents, for example, the X12N Implementation Guides adopted under HIPAA to which this document is a companion.

The TR3 implementation guide specifies in detail the required formats for transactions exchanged electronically with an insurance company, health care payer, or government agency. The TR3 implementation guide contains requirements for the use of specific segments and specific data elements within those segments and applies to all health care providers and their Trading Partners. It is critical that your IT staff or software vendor review this document in its entirety and follow the stated requirements to exchange HIPAA-compliant files with Nevada Medicaid.

The TR3 implementation guides for X12N and all other HIPAA standard transactions are available electronically at http://www.wpc-edi.com/.

1.4 Additional Information

The intended audience for this document is the technical and operational staff responsible for generating, receiving, and reviewing electronic health care transactions.

2 Getting Started

This section describes how to interact with Nevada Medicaid's EDI department.

The Nevada Medicaid EDI Department or Helpdesk can be contacted at (877) 638-3472 options 2, 0, and then 3, Monday through Friday, 8:00 a.m. to 5:00 p.m. Pacific Time, with the exception of Nevada State holidays. You can also send an email to nvmmis.edisupport@dxc.com.

2.1 Trading Partner Registration

This section describes how to register as an encounter Trading Partner with Nevada Medicaid.

In order to submit and/or receive transactions with Nevada Medicaid, Trading Partners must complete a Trading Partner Profile (TPP) agreement, establish connectivity and certify transactions.

- A Trading Partner is any entity (provider, billing service, clearinghouse, software vendor, etc.) that transmits electronic data to and receives electronic data from another entity.
 Nevada Medicaid requires all Trading Partners to complete a TPP agreement regardless of the Trading Partner type listed below
- Vendor is an entity that provides hardware, software and/or ongoing technical support for covered entities. In EDI, a vendor can be classified as a software vendor, billing or network service vendor or clearinghouse.
 - Software vendor is an entity that creates software used by billing services, clearinghouses and providers/suppliers to conduct the exchange of electronic transactions.
 - Billing service is a third party that prepares and/or submits claims for a provider.
 - Clearinghouse is a third party that submits and/or exchanges electronic transactions on behalf of a provider

Establishing a Trading Partner Profile (TPP) agreement is a simple process which the Trading Partner completes using the Nevada Medicaid Provider Web Portal link at https://www.medicaid.nv.gov/hcp/provider/Home/tabid/135/Default.aspx.

Trading Partners must agree to the Nevada Medicaid Trading Partner Agreement at the end of the Trading Partner Profile enrollment process. Once the TPP application is completed, an 8-digit Trading Partner ID will be assigned.

After the TPP Agreement has been completed, the Trading Partner must submit a Secure Shell (SSH) public key file to Nevada Medicaid to complete their enrollment. Once the SSH key is received, users will be contacted to initiate the process to exchange the directory structure and authorization access on the Nevada Medicaid external SFTP servers.

Failure to provide the SSH key file to Nevada Medicaid will result in your TPP application request being rejected and you will be unable to submit transactions electronically to Nevada Medicaid. Please submit your SSH public key via email within five business days of completing the TPP application. Should you require additional assistance with information on SSH keys, please contact the Nevada EDI Helpdesk at (877) 638-3472 options 2, 0, and then 3.

2.2 Certification and Testing Overview

This section provides a general overview of what to expect during certification and testing phases.

All Trading Partners who submit electronic transactions with Nevada Medicaid will be certified through the completion of Trading Partner testing. This includes Clearinghouses, Software Vendors, Provider Groups, and Managed Care Organizations (MCOs).

Providers who use a billing agent, clearinghouse or software vendor will not need to test for those electronic transactions that their entity submits on their behalf.

3 Testing with Nevada Medicaid

This section contains a detailed description of the testing phase.

Testing is conducted to ensure compliance with HIPAA guidelines. Inbound 837 transactions are validated through Strategic National Implementation Process (SNIP) Level 4. Refer to Appendix B for a list of SNIP Level 4 edits.

Testing data such as provider IDs and recipient IDs will not be provided. Users should submit recipient information and provider information as done for production as the test environment is continually updated with production information.

There is no limit to the number of files that may be submitted. Results of the system's processing of your transactions are reviewed and communicated back via email. Once the test file(s) passes EDI compliance, a production URL and Production Authorization letter will be sent confirming certification.

The following Encounter transactions are available for testing:

- 837D Encounter Dental Claim
- 837P Encounter Professional (CMS-1500) Claim
- 837P NET Encounter Professional (CMS-1500) Claim
- 837I Encounter Institutional (UB-04) Claim
- NCPDP Batch Transaction Standard Version 1.2 and Telecommunication Standard Version D.0

3.1 Testing Process

The following points are actions that a Trading Partner will need to take before submitting production files to Nevada Medicaid:

- Enroll by using the Trading Partner Enrollment Application on the Nevada Medicaid Provider Web Portal to obtain a new Trading Partner ID
- Register on the Nevada Medicaid Provider Web Portal (optional unless submitting files via the Web Portal)
- Receive EDI Trading Partner Welcome Letter indicating Trading Partner Profile (TPP) has been approved for testing
- Submit test files using SFTP until transaction sets pass compliance testing
- Receive Production Authorization letter containing the list of approved transactions that could be submitted to the production environment along with the connection information
- Upon completion of the testing process, you may begin submitting production files for all approved transactions via the Nevada Medicaid Provider Web Portal or SFTP

To begin the testing process, please review the Nevada Medicaid Trading Partner User Guide located at: https://www.medicaid.nv.gov/providers/edi.aspx.

3.2 File Naming Standard

Use the following naming standards when submitting your encounter files to Nevada Medicaid:

- Trading Partner ID_Encounters_filetype_Environment_DateTime.dat or .txt
 An example is as follows:
- 01234567_ENCOUNTERS_837I_PROD_201808301140512.dat
- 01234567_ENCOUNTERS_837I_PROD_201808301140512.txt

The preferred extension is .dat; however, .txt is also allowed. Zip files (.zip) may also be submitted, but each zip file can contain only one encounter file, either .dat or .txt. Both the zip file and the encounter file it contains must meet the file naming standards.

If the file does not meet the file naming standard, the file will not be processed. In this instance, the Nevada Medicaid EDI Helpdesk will notify the submitter of the issue and request correct and resubmittal. You will need to correct the file name and resubmit the file in order for it to process.

4 Connectivity with Nevada Medicaid/ Communications


This section describes the process to submit HIPAA 837I Encounter transactions, along with submission methods, security requirements, and exception handling procedures.

Nevada Medicaid supports multiple methods for exchanging electronic healthcare transactions depending on the Trading Partner's needs. For HIPAA 837 transactions, the following can be used:

- Secure File Transfer Protocol (SFTP) (this only applies to batch transactions)
- The Nevada Medicaid Provider Web Portal (not recommended for Encounter claims due to the size limitations).

4.1 Process Flows

This section contains a process flow diagram and appropriate text.



4.2 Health Care Encounter Claim and Response

- 1. The Trading Partner submits a batch of encounter claims to the Nevada Medicaid SFTP server. The batch is then validated for EDI compliance.
- 2. EDI processes the batch which can result in a TA1 or 999.
 - A TA1 will be generated when errors occur within the outer envelope (no 999 will be generated).
 - A 999 will be generated if no errors occurred within the outer envelope.
- 3. When the batch successfully processes through EDI, the encounter claims are transformed into XML records and submitted to the interChange Encounter Claim engine for further validation and processing. At this stage, individual encounter claims are inspected and if necessary rejected and sent back to the submitter for correction. (When resubmitting a rejected encounter claim, the same MCO ICN/TCN must be used on the corrected encounter claim.) The submitter can expect two different response files as follows:
 - 837 Encounter Response File Once the transaction is "Accepted" the transaction is translated and sent to the backend for processing. The encounter 837 response file will be generated once the translated file has processed. This response file will contain the status of each encounter claim within the file/batch. An encounter claim with no threshold edit errors will be accepted. Encounter claims can have both threshold and informational edits, but only the information pertaining to the threshold edit will need to be corrected and resubmitted for the encounter claim to be accepted. See the Acknowledgements and/or Reports section for further details on the 837 response file.
 - Encounter Claim Duplicate File If an encounter claim within the batch is rejected
 due to a duplicate, then an Encounter Claim Duplicate file will also be generated.
 This file provides information on the current encounter claim that is being rejected
 and the related encounter claim in the Encounter Claim Engine. See the
 Acknowledgements and/or Reports section for further details on the Encounter
 Claim Duplicate file.

4.3 Transmission Administrative Procedures

This section provides Nevada Medicaid's specific transmission administrative procedures.

For details about available Nevada Medicaid Access Methods, refer to the Communication Protocol Specifications section below.

Nevada Medicaid is only available to authorized users. The submitter/receiver must be a Nevada Medicaid Trading Partner. Each submitter/receiver is authenticated using the Username and private SSH key provided by the Trading Partner as part of the enrollment process.

4.4 System Availability

The system is typically available 24X7 with the exception of scheduled maintenance windows as noted on the Nevada Medicaid Provider Web Portal at https://www.medicaid.nv.gov/.

4.5 Transmission File Size

The HIPAA TR3 Implementation Guide states on the CLM (Claim Information) segment it is recommended that Trading Partners limit the size of the transaction (ST/SE) envelope to be a maximum of 5,000 CLM segments. Nevada Medicaid follows the recommendation of the HIPAA TR3 Guide.

Transactions	Submission Method	File Size Limit	Other Conditions
837s	SFTP	300 MB	5,000 claims per transaction set
837s	Web Portal	4 MB	

4.6 Transmission Errors

When processing batch 837 transactions that have Interchange Header errors, a TA1 will be generated. If the Interchange Header is valid but the 8371 transaction fails compliance a 999 will be generated. More information on each of these responses can be found in the Acknowledgements and/or Reports section below.

4.7 Re-transmission Procedure

Nevada Medicaid does not require any identification of a previous transmission of a file with the Note exception listed below. All files sent should be marked as original transmissions.

Nevada Medicaid does identify duplicate files based on content of the file before it reaches the MMIS system. The duplicate check algorithm only checks for file content. It does not check for filename or file size.

The submitter must correct and resubmit a disputed encounter file or claim within sixty (60) calendar days of receipt of rejection.

Note: If the same file was resubmitted using SFTP and the data content is the same content of another file, this file will be detected as a duplicate file. The EDI Helpdesk will contact the EDI contact listed on file to see if the file was meant to be reprocessed.

4.8 Communication Protocol Specifications

This section describes Nevada Medicaid's communication protocol(s).

- **Secure File Transfer Protocol (SFTP)**: Nevada Medicaid allows Trading Partners to connect to the Nevada Medicaid SFTP server using the SSH private key and assigned user name. There is no password for the connection.
- Nevada Medicaid Provider Web Portal: Nevada Medicaid allows Trading Partners to connect to the Nevada Medicaid Provider Web Portal. Refer to the Trading Partner User Guide for instructions.

4.9 Passwords

Trading Partners must adhere to Nevada Medicaid's use of passwords. Trading Partners are responsible for managing their own data. Each Trading Partner must take all necessary precautions to ensure that they are safeguarding their information and sharing their data (e.g., granting access) only with users and entities who meet the required privacy standards. It is equally important that Trading Partners know who on their staff is linked to other providers or entities, in order to notify those entities whenever they remove access for that person in your organization(s).

5 Contact Information

Refer to this companion guide with questions and then use the contact information below for questions not answered by this guide.

5.1 EDI Customer Service

This section contains detailed information concerning EDI Customer Service, especially contact numbers.

MCOs should send an email to nvmmis.edisupport@dxc.com with any encounter claims status inquiries or questions regarding how an encounter claim was processed. The email should contain enough information to research the question. The following is a list of information that would be helpful in answering most questions:

- Trading Partner ID
- Contact Name
- Contact Phone Number
- Question
- Encounter claim Identifying Information (TCN or Processor Control Number)
- Original File Name
- Response File Name
- Duplicate File Name

5.2 EDI Technical Assistance

This section contains detailed information concerning EDI Technical Assistance, especially contact numbers.

Nevada Medicaid EDI Helpdesk can help with connectivity issues or transaction formatting issues at (877) 638-3472 options 2, 0, then 3, Monday through Friday, 8:00 a.m. to 5:00 p.m. Pacific Time, with the exception of Nevada State holidays.

The 8-digit Trading Partner ID is Nevada Medicaid's key to accessing Trading Partner information. Trading Partners should have this number available each time they contact the Nevada Medicaid EDI Helpdesk.

For written correspondence:

Nevada Medicaid

PO Box 30042

Reno, Nevada 89520-3042

5.3 Customer Service/Provider Enrollment

This section contains information for contacting Customer Service and Provider Enrollment.

Customer Service should be contacted instead of the EDI Helpdesk for questions regarding claim status information and Provider enrollment.

Customer Service

- Phone: (877) 638-3472 (select option 2, option 0 and then option 2)
- Fax: (775) 335-8502
- Provider Billing Manual can be found at: https://www.medicaid.nv.gov/Downloads/provider/NV_Billing_General.pdf

Provider Enrollment

- Phone: (877) 638-3472 (select option 2, option 0 and then option 5)
- Fax: (775) 335-8593
- E-mail: <u>nv.providerapps@dxc.com</u>
- Provider Enrollment Information Booklet can be found at:
 https://www.medicaid.nv.gov/Downloads/provider/NV_Provider_Enrollment_Information_Booklet.pdf

5.4 Applicable Websites/Email

This section contains detailed information about useful websites.

- Accredited Standards Committee (ASC X12): ASC X12 develops and maintains standards for inter-industry electronic interchange of business transactions. www.x12.org.
- Accredited Standards Committee (ASC X12N): ASC X12N develops and maintains X12
 EDI and XML standards, standards interpretations, and guidelines as they relate to all
 aspects of insurance and insurance-related business processes. www.x12.org.
- American Dental Association (ADA): Develops and maintains a standardized data set for use by dental organizations to transmit claims and encounter information. www.ada.org.
- American Hospital Association Central Office on ICD-10-CM/ICD-10-PCS (AHA): This site
 is a resource for the International Classifications of Diseases, 10th edition, Clinical
 Modification (ICD-10-CM) codes, used for reporting patient diagnoses and (ICD-10-PCS)
 for reporting hospital inpatient procedures. www.ahacentraloffice.org.
- American Medical Association (AMA): This site is a resource for the Current Procedural Terminology 4th Edition codes (CPT-4). The AMA copyrights the CPT codes. www.ama-assn.org.
- Centers for Medicare & Medicaid Services (CMS): CMS is the unit within HHS that administers the Medicare and Medicaid programs. Information related to the Medicaid

HIPAA Administrative Simplification provision, along with the Electronic Health-Care Transactions and Code Sets, can be found at http://www.cms.gov/Regulations-and-Guidance/Administrative-Simplification/HIPAA-ACA.

This site is the resource for information related to the Healthcare Common Procedure Coding System (HCPCS): www.cms.hhs.gov/HCPCSReleaseCodeSets.

- Committee on Operating Rules for Information Exchange (CORE): A multi-phase initiative
 of Council for Affordable Quality Healthcare, CORE is a committee of more than 100
 industry leaders who help create and promulgate a set of voluntary business rules focused
 on improving physician and hospital access to electronic patient insurance information at
 or before the time of care. www.cagh.org/CORE_overview.php.
- Council for Affordable Quality Healthcare (CAQH): A nonprofit alliance of health plans
 and trade associations, working to simplify healthcare administration through industry
 collaboration on public-private initiatives. Through two initiatives the Committee on
 Operating Rules for Information Exchange and Universal Provider Datasource CAQH
 aims to reduce administrative burden for providers and health plans. www.caqh.org.
- Designated Standard Maintenance Organizations (DSMO): This site is a resource for information about the standard-setting organizations and transaction change request system: www.hipaa-dsmo.org.
- Health Level Seven (HL7): HL7 is one of several ANSI-accredited Standards Development Organizations (SDOs), and is responsible for clinical and administrative data standards. www.hl7.org.
- Healthcare Information and Management Systems (HIMSS): An organization exclusively
 focused on providing global leadership for the optimal use of IT and management systems
 for the betterment of health care. www.himss.org.
- National Committee on Vital and Health Statistics (NCVHS): The National Committee on Vital and Health Statistics was established by Congress to serve as an advisory body to the Department of Health and Human Services on health data, statistics and national health information policy. www.ncvhs.hhs.gov.
- National Council of Prescription Drug Programs (NCPDP): The NCPDP is the standards and codes development organization for pharmacy. www.ncpdp.org.
- National Uniform Billing Committee (NUBC): NUBC is affiliated with the American
 Hospital Association. It develops and maintains a national uniform billing instrument for
 use by the institutional health-care community to transmit claims and encounter
 information. www.nubc.org.
- National Uniform Claim Committee (NUCC): NUCC is affiliated with the American Medical Association. It develops and maintains a standardized data set for use by the non-institutional health-care organizations to transmit claims and encounter information. NUCC maintains the national provider taxonomy. www.nucc.org.
- Nevada Department of Health and Human Services (DHHS) Division of Health Care Financing and Policy (DHCFP): The DHCFP website assists with policy questions:

- dhcfp.nv.gov and this website assists providers with billing and enrollment support: www.medicaid.nv.gov
- Office for Civil Rights (OCR): OCR is the office within the Department of Health and Human Services responsible for enforcing the Privacy Rule under HIPAA.
 www.hhs.gov/ocr/hipaa.
- United States Department of Health and Human Services (HHS): The DHHS website is a
 resource for the Notice of Proposed Rule Making, rules, and their information about
 HIPAA. www.aspe.hhs.gov/admnsimp.
- Washington Publishing Company (WPC): WPC is a resource for HIPAA-required transaction technical report type 3 documents and code sets. www.wpc-edi.com.
- Workgroup for Electronic Data Interchange (WEDI): WEDI is a workgroup dedicated to improving health-care through electronic commerce, which includes the Strategic National Implementation Process (SNIP) for complying with the administrative-simplification provisions of HIPAA. www.wedi.org.

6 Control Segments/Envelopes

The page numbers listed below in each of the tables represent the corresponding page number in the X12N 837I HIPAA Implementation Guide.

X12N EDI Control Segments

ISA – Interchange Control Header Segment

IEA – Interchange Control Trailer Segment

GS - Functional Group Header Segment

GE - Functional Group Trailer Segment

ST - Transaction Set Header

SE - Transaction Set Trailer

TA1 - Interchange Acknowledgement

6.1 ISA-IFA

This section describes Nevada Medicaid's use of the interchange control segments.

It includes a description of expected sender and receiver codes, authorization information, and delimiters.

To promote efficient, accurate electronic transaction processing, please note the following Nevada Medicaid specifications:

- Nevada Medicaid requires Trading Partners to use the ASC X12 Extended Character Set.
- Each Trading Partner is assigned a unique Trading Partner ID.
- All dates are in the CCYYMMDD format with the exception of the ISA09, which is YYMMDD.
- All date/times are in the CCYYMMDDHHMM format.
- Nevada Medicaid Payer ID is NVMED for Encounter transactions.
- Batch responses are not returned until all inquiries are processed.
- Only one ISA/IEA is allowed per logical file.

Transactions transmitted during a session or as a batch are identified by an ISA header segment and IEA trailer segment, which form the envelope enclosing the transmission. Each ISA marks the beginning of the transmission (batch) and provides sender and receiver identification. The tables below represent the interchange envelope information.

TR3 Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
C.3		ISA	Interchange Control Header			

TR3 Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
C.4		ISA01	Authorization Information Qualifier	00, 03		
			No Authorization Information Present	00	2	
C.4		ISA02	Authorization Information		10	Space fill
C.4		ISA03	Security Information Qualifier	00, 01		
			No Security Information Present	00	2	
C.4		ISA04	Security Information		10	Space fill
C.4		ISA05	Interchange ID Qualifier	01, 14 20, 27- 30, 33, ZZ		
			Mutually Defined	ZZ	2	
C.4		ISA06	Interchange Sender ID		15	The 8-digit Trading Partner ID assigned by Nevada Medicaid, left justified and space filled.
C.4		ISA07	Interchange ID Qualifier	01, 14, 20, 27- 30, 33, ZZ		
			Mutually Defined	ZZ	2	
C.4		ISA08	Interchange Receiver ID	NVMED	15	NV Medicaid receiver ID, left justified and space filled.
C.5		ISA09	Interchange Date		6	Format is YYMMDD
C.5		ISA10	Interchange Time		4	Format is HHMM

TR3 Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
C.5		ISA11	Repetition Separator	^	1	The repetition separator is a delimiter and not a data element. It is used to separate repeated occurrences of a simple data element or a composite data structure.
						This value must be different from the data element separator, component element separator, and the segment terminator.
C.5		ISA12	Interchange Control Version Number	00501	5	
C.5		ISA13	Interchange Control Number		9	Must be identical to the associated interchange control trailer IEA02.
C.6		ISA14	Acknowledgment Requested	0, 1		
			No interchange acknowledgment requested	0	1	A TA1 will be generated if the file fails the 'Interchange Envelope' content regardless of the value used.
			Interchange acknowledgement requested	1	1	
C.6		ISA15	Usage Indicator	T, P		
			Test data	Т	1	
			Production data	Р	1	

TR3 Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
C.6		ISA16	Component Element Separator	:	1	The component element separator is a delimiter and not a data element.
						It is used to separate component data elements within a composite data structure.
						This value must be different from the data element separator and the segment terminator.

TR3 Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
C.10		IEA	Interchange Control Trailer			
C.10		IEA01	Number of Included Functional Groups		1/5	Number of included Functional Groups.
C.10		IEA02	Interchange Control Number		9	The control number assigned by the interchange sender.
						Must be identical to the value in ISA13.

6.2 GS-GE

This section describes Nevada Medicaid's use of the functional group control segments.

It includes a description of expected application sender and receiver codes. Also included in this section is a description concerning how Nevada Medicaid expects functional groups to be sent and how Nevada Medicaid will send functional groups. These discussions will describe how similar transaction sets will be packaged and Nevada Medicaid's use of functional group control numbers. The tables below represent the functional group information.

TR3 Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
C.7		GS	Functional Group Header			

TR3 Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
C.7		GS01	Functional ID Code	HC	2	
C.7		GS02	Application Sender's Code		8	Trading Partner ID supplied by NV Medicaid. This will be the same value in the ISA06.
C.7		GS03	Application Receiver's Code	NVMED	5	
C.7		GS04	Date		8	Format is CCYYMMDD
C.8		GS05	Time		4/8	Format is HHMM
C.8		GS06	Group Control Number		1/9	Must be identical to GE02.
C.8		GS07	Responsible Agency Code	Х	1	
C.8		GS08	Version/Release/Indus try ID Code		12	005010X223A2

TR3 Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
C.9		GE	Functional Group Trailer			
C.9		GE01	Number of Transaction Sets Included		1/6	Total number of transaction sets included in the functional group.
C.9		GE02	Group Control Number		1/9	This is the same value as the GS06.

6.3 ST-SE

This section describes Nevada Medicaid's use of transaction set control numbers.

Nevada Medicaid recommends that Trading Partners follow the guidelines set forth in the TR3 Implementation Guide – start the first ST02 in the first file with 00000001 and increment from there. The TR3 Implementation Guide should be reviewed for how to create compliant transactions set control segments.

The 837 Encounter Institutional files may contain multiple ST-SE segments.

TR3 Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
67		ST	Transaction Set Header			
67		STO1	Transaction Set Identifier Code	837	3	
67		STO2	Transaction Set Control Number		4/9	Increment by 1 when multiple transaction sets are included; must be identical to SE02.
67		ST03	Implementation Convention Reference		12	005010X223A2

TR3 Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
488		SE	Transaction Set Trailer			
488		SEO1	Number of Included Segments		1/10	Total number of segments included in a transaction set including ST and SE segments.
488		SEO2	Transaction Set Control Number		4/9	Transaction set control number. Identical to the value in STO2.

6.4 Control Segment Notes

The ISA data segment is a fixed length record and all fields must be supplied. Fields that are not populated with actual data must be filled in with spaces.

6.5 File Delimiters

Nevada Medicaid requests that submitters use the following delimiters on your 837 file. If used as delimiters, these characters (* : \sim ^) must not be submitted within the data content of the transaction sets.

- **Data Element:** Byte 4 in the ISA segment defines the data element separator to be used throughout the entire transaction. The recommend data element delimiter is an asterisk (*).
- **Repetition Separator:** ISA11 defines the repetition separator to be used throughout the entire transaction. The recommend repetition separator is a caret (^).

- **Component-Element:** ISA16 defines the component element delimiter to be used throughout the entire transaction. The recommended component-element delimiter is a colon (:).
- **Data Segment:** Byte 106 of the ISA segment defines the segment terminator used throughout the entire transaction. The recommended segment delimiter is a tilde (~).

7 Nevada Medicaid Specific Business Rules and Limitations

This section describes Nevada Medicaid's specific business rules and limitations for the 837 Encounter transaction.

Before submitting electronic encounter claims to Nevada Medicaid, please review the appropriate HIPAA Technical Report Type 3 (TR3) Implementation Guide and Nevada Medicaid companion quide.

7.1 Encounter Claim Submissions

You may submit electronic encounter claims 24 hours a day, 7 days a week. Transactions submitted after 4:00 p.m. Pacific Time (PT) are processed in the following day's cycle. The Functional Acknowledgement (999 transaction) is normally available for retrieval one hour after submission; however it could take up to 24 hours. Encounter claims will be processed through the Encounter Engine and an Encounter 837 Response file will be available one business day after the file was received.

The Nevada Medicaid program has the following requirements for encounter claims submission:

- Encounters files must, at a minimum, be sent monthly.
- All encounters must be submitted for proper and accurate reporting and must be submitted within ninety (90) calendar days of receipt of encounter.
- Correct and resubmit a disputed encounter file within sixty (60) calendar days of receipt.
- Submit response file listing resubmitted encounters, specifying if encounter was corrected
 or explanation of why encounter could not be corrected.
- All encounters will be adjusted or voided within sixty (60) calendar days following the identification of the overpayments.

7.2 Adjustments and Voids

Encounter claims that have been accepted and received a Nevada Medicaid ICN can be Adjusted or Voided. Adjustments are only allowed on accepted encounters that have an encounter claim status of Paid (CLM05-1).

To submit an Adjustment/Void users need to submit an encounter claim frequency (CLM05-3) of 7 (Adjustment/Replace) or 8 (Void/Credit). The Nevada Medicaid ICN to Adjust/Void should be placed in the 2300 REF02, where REF01=F8. Providers must use the most recently paid Nevada Medicaid ICN when voiding or adjusting an encounter claim.

7.3 Logical File Structure

There can only be one interchange (ISA/IEA) per logical file. The interchange can contain multiple functional groups (GS/GE); however, the functional groups must be the same type.

7.4 Compliance Checking

Inbound 837 transactions are validated through Strategic National Implementation Process (SNIP) Level 4. Refer to Appendix B for a list of SNIP Level 4 edits.

7.5 Document Level Rejection

Files for encounters are processed at the transaction set level (ST/SE). This means if one compliance error is received at the transaction set level (ST/SE), that transaction set will be rejected and the error reported on the 999 transaction. This may create a partially accepted file if the file contains multiple transaction sets.

The claim(s) that caused the rejection needs to be corrected and the entire transaction set (ST/SE) needs to be resubmitted for processing.

7.6 Encounter Claim Detail Status

No status is sent in directly. If the units allowed = 0 and the amount paid = 0 on the detail, then the detail is denied. If the units allowed > 0 and the paid amount = 0 this is invalid.

7.7 Contract Information

The CN1 segment in the 2300 and 2400 loop is to be excluded. If submitted, transaction set will reject.

7.8 Claim Check or Remittance Date

The 2330B Claim Check or Remittance Date (DTP) must be absent if the 2430 DTP segment is present. This date cannot be in both loops or the transaction set will reject with a SNIP edit 4.

7.9 Duplicate Encounter Institutional Claim Logic

Outpatient claims

Logic will consider each Detail on the incoming claim.

Logic will consider history claims.

If a detail is Denied, do not check it for a duplicate.

If a detail has procedure codes: A4657, or,

Revenue codes 250-252, 254, 258, 270, 272, 636, 637 do not check it for duplicate.

If more than one detail, check the current claim's details against each other paid detail for duplicate.

If detail procedures are equal, and

Detail DOS first are equal, and

Detail DOS last are equal, and

Sak_prov_loc for rendering are equal, and

cde_revenues are equal, and

Modifiers equal

Then set ENC DUP OUTPATIENT

Check current claim against history claims.

Since we do not reject claims for lacking a valid provider or valid procedures, check if we have no valid ones. If we don't have valid for either of them, do not check for duplicate claims.

If a claim is found on history where, compared to current claim...

recipients are equal
trading partners are equal
claim type is equal
sak_procedure = sak_procedure
cde_revenue = cdeRevenue
Detail DOS first are equal, and
Detail DOS last are equal, and
Sak_prov_loc for billing are equal, and
Modifiers equal

Inpatient claims

There are no exclusions for duplicate checking if the inpatient claim is Denied.

There are no exclusions for duplicate checking, for specific proc or revenue codes.

From the below, a duplicate for Inpatient will be determined by historical match only, for: same Trading Partner, same recipient, same provider, same claim type, and First/Last DOS, <u>irrespective</u> of revenue codes or procedures.

Check current claim against history claims.

The below differs from some of the other duplicate logic in so far as we do not interrogate whether we have valid procedures or rev codes in order to continue to the duplicate check. We will continue irrespective.

Since we do not reject claims for lacking a valid provider, check if we have no valid provider. If we do not, do not continue to check for duplicate claims.

If a claim is found on history where, compared to current claim...

recipients are equal

trading partners are equal

claim type is equal

Header DOS first are equal, and

Header DOS last are equal, and

Sak_prov_loc for billing are equal

Modifiers will not be looked at

8 Acknowledgements and/or Reports

8.1 The TA1 Interchange Acknowledgement

The TA1 allows the receiver of a file to notify the sender that an invalid interchange structure was received or that problems were encountered. The TA1 verifies only the interchange header (ISA/GS) and trailer (IEA/GE) segments of the file envelope.

If ISA or GS errors were encountered, then the generated TA1 report with the Interchange Header errors will be returned for pickup.

What to look for in the TA1

The TA1 segment indicates whether or not the submitted interchange control structure passed the HIPAA compliance check.

If TA104 is "R", then the transmitted interchange control structure header and trailer were rejected because of errors. The submitter will need to correct the errors and resubmit the corrected file to Nevada Medicaid.

Example:

TA1*000100049*130716*0935*R*020~

The data elements in the TA1 segment are defined as follows:

- TA101 contains the Interchange Control Number (ISA13) from the file to which this TA1 is responding ("000100049" in the example above).
- TA102 contains the Interchange Date ("130716" in the example above).
- TA103 contains the Interchange Time ("0935" in the example above).
- TA104 code indicates the status of the interchange control structure ("R" in the example above). The definition of the code is as follows: "R" The transmitted interchange control structure header and trailer are rejected because of errors.
- TA105 code indicates the error found while processing the interchange control structure ("020" in the example above). The definitions of the codes are as follows:

Code	Description
000	No Error
001	The Interchange Control Number in the Header and Trailer Do Not Match. The Value From the Header is Used in the Acknowledgment.
002	This Standard as Noted in the Control Standards Identifier is Not Supported
003	This Version of the Controls is Not Supported
004	The Segment Terminator is Invalid
005	Invalid Interchange ID Qualifier for Sender
006	Invalid Interchange Sender ID

007 Invalid Interchange ID Qualifier for Receiver 008 Invalid Interchange Receiver ID 009 Unknown Interchange Receiver ID 010 Invalid Authorization Information Qualifier Value 011 Invalid Authorization Information Value 012 Invalid Security Information Qualifier Value 013 Invalid Security Information Value 014 Invalid Interchange Date Value 015 Invalid Interchange Standards Identifier Value 016 Invalid Interchange Standards Identifier Value 017 Invalid Interchange Control Number Value 018 Invalid Interchange Control Number Value 019 Invalid Acknowledgment Requested Value 020 Invalid Test Indicator Value 021 Invalid Number of Included Groups Value 022 Invalid Control Structure 023 Improper (Premature) End-of-File (Transmission) 024 Invalid Interchange Content (e.g., Invalid GS Segment) 025 Duplicate Interchange Control Number 026 Invalid Data Element Separator 027 Invalid Delivery Date in Deferred Delivery Request	Code	Description
Unknown Interchange Receiver ID 100 Invalid Authorization Information Qualifier Value 111 Invalid Authorization Information Value 112 Invalid Security Information Qualifier Value 113 Invalid Security Information Value 114 Invalid Interchange Date Value 115 Invalid Interchange Time Value 116 Invalid Interchange Standards Identifier Value 117 Invalid Interchange Standards Identifier Value 118 Invalid Interchange Version ID Value 119 Invalid Interchange Control Number Value 119 Invalid Acknowledgment Requested Value 120 Invalid Test Indicator Value 121 Invalid Number of Included Groups Value 122 Invalid Control Structure 123 Improper (Premature) End-of-File (Transmission) 124 Invalid Interchange Content (e.g., Invalid GS Segment) 125 Duplicate Interchange Control Number 126 Invalid Data Element Separator 127 Invalid Component Element Separator 128 Invalid Delivery Date in Deferred Delivery Request 130 Invalid Delivery Time in Deferred Delivery Request	007	Invalid Interchange ID Qualifier for Receiver
10 Invalid Authorization Information Qualifier Value 11 Invalid Authorization Information Value 11 Invalid Security Information Qualifier Value 11 Invalid Security Information Value 11 Invalid Interchange Date Value 11 Invalid Interchange Time Value 11 Invalid Interchange Standards Identifier Value 11 Invalid Interchange Version ID Value 11 Invalid Interchange Version ID Value 12 Invalid Interchange Control Number Value 13 Invalid Acknowledgment Requested Value 14 Invalid Test Indicator Value 15 Invalid Test Indicator Value 16 Invalid Number of Included Groups Value 17 Invalid Control Structure 18 Invalid Control Structure 19 Invalid Control Structure 19 Invalid Interchange Content (e.g., Invalid GS Segment) 10 Invalid Interchange Control Number 10 Invalid Data Element Separator 10 Invalid Data Element Separator 10 Invalid Delivery Date in Deferred Delivery Request 10 Invalid Delivery Time in Deferred Delivery Request 10 Invalid Delivery Time Code in Deferred Delivery Request	008	Invalid Interchange Receiver ID
1 Invalid Authorization Information Value 1 Invalid Security Information Qualifier Value 1 Invalid Security Information Value 1 Invalid Interchange Date Value 1 Invalid Interchange Date Value 1 Invalid Interchange Standards Identifier Value 1 Invalid Interchange Standards Identifier Value 1 Invalid Interchange Version ID Value 1 Invalid Interchange Control Number Value 1 Invalid Acknowledgment Requested Value 1 Invalid Test Indicator Value 1 Invalid Test Indicator Value 1 Invalid Number of Included Groups Value 1 Invalid Control Structure 1 Invalid Control Structure 1 Invalid Interchange Content (e.g., Invalid GS Segment) 1 Invalid Interchange Control Number 1 Invalid Data Element Separator 1 Invalid Component Element Separator 1 Invalid Delivery Date in Deferred Delivery Request 1 Invalid Delivery Time in Deferred Delivery Request 1 Invalid Delivery Time Code in Deferred Delivery Request	009	Unknown Interchange Receiver ID
1012 Invalid Security Information Qualifier Value 1013 Invalid Security Information Value 1014 Invalid Interchange Date Value 1015 Invalid Interchange Time Value 1016 Invalid Interchange Standards Identifier Value 1017 Invalid Interchange Version ID Value 1018 Invalid Interchange Control Number Value 1019 Invalid Acknowledgment Requested Value 1010 Invalid Test Indicator Value 1010 Invalid Number of Included Groups Value 1011 Invalid Control Structure 1012 Invalid Control Structure 1013 Improper (Premature) End-of-File (Transmission) 1014 Invalid Interchange Content (e.g., Invalid GS Segment) 1015 Duplicate Interchange Control Number 1016 Invalid Data Element Separator 1017 Invalid Component Element Separator 1018 Invalid Delivery Date in Deferred Delivery Request 1019 Invalid Delivery Time in Deferred Delivery Request 1020 Invalid Delivery Time Code in Deferred Delivery Request	010	Invalid Authorization Information Qualifier Value
1013 Invalid Security Information Value 1014 Invalid Interchange Date Value 1015 Invalid Interchange Time Value 1016 Invalid Interchange Standards Identifier Value 1017 Invalid Interchange Version ID Value 1018 Invalid Interchange Control Number Value 1019 Invalid Acknowledgment Requested Value 1020 Invalid Test Indicator Value 1021 Invalid Number of Included Groups Value 1022 Invalid Control Structure 1023 Improper (Premature) End-of-File (Transmission) 1024 Invalid Interchange Content (e.g., Invalid GS Segment) 1025 Duplicate Interchange Control Number 1026 Invalid Data Element Separator 1027 Invalid Component Element Separator 1028 Invalid Delivery Date in Deferred Delivery Request 1030 Invalid Delivery Time in Deferred Delivery Request	011	Invalid Authorization Information Value
1 Invalid Interchange Date Value 1 Invalid Interchange Time Value 1 Invalid Interchange Standards Identifier Value 1 Invalid Interchange Standards Identifier Value 1 Invalid Interchange Version ID Value 1 Invalid Interchange Control Number Value 1 Invalid Acknowledgment Requested Value 1 Invalid Test Indicator Value 1 Invalid Number of Included Groups Value 1 Invalid Number of Included Groups Value 1 Invalid Control Structure 1 Invalid Interchange Content (e.g., Invalid GS Segment) 1 Invalid Interchange Control Number 1 Invalid Data Element Separator 1 Invalid Component Element Separator 1 Invalid Delivery Date in Deferred Delivery Request 1 Invalid Delivery Time in Deferred Delivery Request 1 Invalid Delivery Time Code in Deferred Delivery Request	012	Invalid Security Information Qualifier Value
1015 Invalid Interchange Time Value 1016 Invalid Interchange Standards Identifier Value 1017 Invalid Interchange Version ID Value 1018 Invalid Interchange Control Number Value 1019 Invalid Acknowledgment Requested Value 1020 Invalid Test Indicator Value 1021 Invalid Number of Included Groups Value 1022 Invalid Control Structure 1023 Improper (Premature) End-of-File (Transmission) 1024 Invalid Interchange Content (e.g., Invalid GS Segment) 1025 Duplicate Interchange Control Number 1026 Invalid Data Element Separator 1027 Invalid Component Element Separator 1028 Invalid Delivery Date in Deferred Delivery Request 1030 Invalid Delivery Time in Deferred Delivery Request	013	Invalid Security Information Value
1016 Invalid Interchange Standards Identifier Value 1017 Invalid Interchange Version ID Value 1018 Invalid Interchange Control Number Value 1019 Invalid Acknowledgment Requested Value 1020 Invalid Test Indicator Value 1021 Invalid Number of Included Groups Value 1022 Invalid Control Structure 1023 Improper (Premature) End-of-File (Transmission) 1024 Invalid Interchange Content (e.g., Invalid GS Segment) 1025 Duplicate Interchange Control Number 1026 Invalid Data Element Separator 1027 Invalid Component Element Separator 1028 Invalid Delivery Date in Deferred Delivery Request 1030 Invalid Delivery Time in Deferred Delivery Request	014	Invalid Interchange Date Value
1 Invalid Interchange Version ID Value 1 Invalid Interchange Control Number Value 1 Invalid Acknowledgment Requested Value 1 Invalid Test Indicator Value 1 Invalid Number of Included Groups Value 1 Invalid Control Structure 1 Invalid Control Structure 1 Invalid Interchange Content (e.g., Invalid GS Segment) 1 Invalid Interchange Control Number 1 Invalid Data Element Separator 1 Invalid Component Element Separator 1 Invalid Delivery Date in Deferred Delivery Request 1 Invalid Delivery Time Code in Deferred Delivery Request	015	Invalid Interchange Time Value
1 Invalid Interchange Control Number Value 1 Invalid Acknowledgment Requested Value 1 Invalid Test Indicator Value 1 Invalid Number of Included Groups Value 1 Invalid Control Structure 1 Invalid Control Structure 1 Invalid Interchange Content (e.g., Invalid GS Segment) 1 Invalid Interchange Control Number 1 Invalid Data Element Separator 1 Invalid Component Element Separator 1 Invalid Delivery Date in Deferred Delivery Request 1 Invalid Delivery Time in Deferred Delivery Request 1 Invalid Delivery Time Code in Deferred Delivery Request	016	Invalid Interchange Standards Identifier Value
1 Invalid Acknowledgment Requested Value 1 Invalid Test Indicator Value 1 Invalid Number of Included Groups Value 1 Invalid Control Structure 1 Improper (Premature) End-of-File (Transmission) 1 Invalid Interchange Content (e.g., Invalid GS Segment) 1 Invalid Interchange Control Number 1 Invalid Data Element Separator 1 Invalid Component Element Separator 1 Invalid Delivery Date in Deferred Delivery Request 1 Invalid Delivery Time in Deferred Delivery Request 1 Invalid Delivery Time Code in Deferred Delivery Request	017	Invalid Interchange Version ID Value
020 Invalid Test Indicator Value 021 Invalid Number of Included Groups Value 022 Invalid Control Structure 023 Improper (Premature) End-of-File (Transmission) 024 Invalid Interchange Content (e.g., Invalid GS Segment) 025 Duplicate Interchange Control Number 026 Invalid Data Element Separator 027 Invalid Component Element Separator 028 Invalid Delivery Date in Deferred Delivery Request 029 Invalid Delivery Time in Deferred Delivery Request	018	Invalid Interchange Control Number Value
1 Invalid Number of Included Groups Value 1 Invalid Control Structure 1 Improper (Premature) End-of-File (Transmission) 1 Invalid Interchange Content (e.g., Invalid GS Segment) 1 Invalid Interchange Control Number 1 Invalid Data Element Separator 1 Invalid Component Element Separator 1 Invalid Delivery Date in Deferred Delivery Request 1 Invalid Delivery Time in Deferred Delivery Request 1 Invalid Delivery Time Code in Deferred Delivery Request	019	Invalid Acknowledgment Requested Value
1 Invalid Control Structure 1 Improper (Premature) End-of-File (Transmission) 1 Invalid Interchange Content (e.g., Invalid GS Segment) 1 Duplicate Interchange Control Number 1 Invalid Data Element Separator 1 Invalid Component Element Separator 1 Invalid Delivery Date in Deferred Delivery Request 1 Invalid Delivery Time in Deferred Delivery Request 1 Invalid Delivery Time Code in Deferred Delivery Request	020	Invalid Test Indicator Value
1 Improper (Premature) End-of-File (Transmission) 1 Invalid Interchange Content (e.g., Invalid GS Segment) 1 Duplicate Interchange Control Number 1 Invalid Data Element Separator 1 Invalid Component Element Separator 1 Invalid Delivery Date in Deferred Delivery Request 1 Invalid Delivery Time in Deferred Delivery Request 1 Invalid Delivery Time Code in Deferred Delivery Request	021	Invalid Number of Included Groups Value
024 Invalid Interchange Content (e.g., Invalid GS Segment) 025 Duplicate Interchange Control Number 026 Invalid Data Element Separator 027 Invalid Component Element Separator 028 Invalid Delivery Date in Deferred Delivery Request 029 Invalid Delivery Time in Deferred Delivery Request 030 Invalid Delivery Time Code in Deferred Delivery Request	022	Invalid Control Structure
025 Duplicate Interchange Control Number 026 Invalid Data Element Separator 027 Invalid Component Element Separator 028 Invalid Delivery Date in Deferred Delivery Request 029 Invalid Delivery Time in Deferred Delivery Request 030 Invalid Delivery Time Code in Deferred Delivery Request	023	Improper (Premature) End-of-File (Transmission)
026 Invalid Data Element Separator 027 Invalid Component Element Separator 028 Invalid Delivery Date in Deferred Delivery Request 029 Invalid Delivery Time in Deferred Delivery Request 030 Invalid Delivery Time Code in Deferred Delivery Request	024	Invalid Interchange Content (e.g., Invalid GS Segment)
027 Invalid Component Element Separator 028 Invalid Delivery Date in Deferred Delivery Request 029 Invalid Delivery Time in Deferred Delivery Request 030 Invalid Delivery Time Code in Deferred Delivery Request	025	Duplicate Interchange Control Number
028 Invalid Delivery Date in Deferred Delivery Request 029 Invalid Delivery Time in Deferred Delivery Request 030 Invalid Delivery Time Code in Deferred Delivery Request	026	Invalid Data Element Separator
029 Invalid Delivery Time in Deferred Delivery Request 030 Invalid Delivery Time Code in Deferred Delivery Request	027	Invalid Component Element Separator
030 Invalid Delivery Time Code in Deferred Delivery Request	028	Invalid Delivery Date in Deferred Delivery Request
	029	Invalid Delivery Time in Deferred Delivery Request
031 Invalid Grade of Service Code	030	Invalid Delivery Time Code in Deferred Delivery Request
	031	Invalid Grade of Service Code

The TA1 segment will be sent within its own interchange (i.e., ISA-TA1-IEA)

Example of a TA1 within its own interchange:

```
ISA*00* *00* *ZZ*NVMED *ZZ*TPID1234
*171222*0106*^*00501*000000001*0*P*:~TA1*000100049*130716*0935*R*020~IEA*0*000
000001~
```

For additional information, consult the Interchange Control Structures, X12.5 Guide. TR3 documents may be obtained by logging on to www.wpc-edi.com and following the links to "EDI Publications" and "5010 Technical Reports."

8.2 The 999 Implementation Acknowledgement

If a 5010 X12 file is submitted to Nevada Medicaid, a 999 acknowledgement is sent to the submitter normally within one hour; however, it could take as long as 24 hours. A 999 does not guarantee processing of the transaction. It only signifies that Nevada Medicaid received the Functional Group.

The following sections explain how to read the 999 to find out whether a file is Accepted, Rejected, Partially Accepted or Accepted, But Errors Were Noted. If a Functional Group is Accepted or Accepted, But Errors Were Noted, no action is required by the submitter. If the Functional Group is Partially Accepted or Rejected, the submitter must correct the errors and resubmit the corrected file or transaction set(s) to Nevada Medicaid.

What to look for in the 999

Locate the AK9 segment. These segments indicate whether or not the submitted Functional Group passed the HIPAA compliance check.

If the AK9 segment appears as AK9*A (Accepted), the entire file was accepted for processing.

If the AK9 segment appears as AK9*R (Rejected), the entire file was rejected.

If the AK9 segment appears as AK9*P (Partially Accepted), the transaction set(s) was rejected.

If the AK9 segment appears as AK9*E (Accepted, But Errors Were Noted), the entire file was accepted for processing, but warning or informational edits were found.

Example of the 999 Acknowledgment:

```
ST*999*0001*005010X231~
AK1*HC*6454*005010X231~
AK2*837*0001~
IK5*A~
AK2*837*0002~
IK3*CLM*22*22**8~
CTX*CLM01:123456789~
IK4*2*782*1~
IK5*R*5~
AK9*P*2*2*1~
SE*8*0001~
```

AK1

This segment refers to the (GS) Group Set level of the original file sent to Nevada Medicaid.

- AK101 is equal to GS01 from the original file (e.g., the AK101 of an 837 claims file would be "HC").
- AK102 is equal to GS06 from the original file (Group Control Number).

AK103 is equal to GS08 from the original file (EDI Implementation Version).

AK2

This segment refers to the (ST) Transaction Set level of the original file sent to Nevada Medicaid.

- AK201 is equal to ST01 from the original file (e.g., the AK201 of an 837 claims file would be "837").
- AK202 is equal to ST02 from the original file (Transaction Set Control Number).
- AK203 is equal to ST03 from the original file (EDI Implementation Version).

IK3

This segment reports errors in a data segment.

Example:

IK3*CLM*22**8~

- IK301 contains the segment name that has the error. In the example above, the segment name is "CLM".
- IK302 contains the numerical count position of this data segment from the start of the
 transaction set (a "line count"). The erroneous "CLM" segment in the example above is the
 22nd segment line in the Transaction Set. Transaction Sets start with the "ST" segment.
 Therefore, the erroneous segment in the example is the 24th line from the beginning of the
 file because the first two segments in the file, ISA and GS, are not part of the transaction
 set.
- IK303 may contain the loop ID where the error occurred.
- IK304 contains the error code and states the specific error. In the example above, the code "8" states "Segment Has Data Element Errors."

Code	Description
1	Unrecognized segment ID
2	Unexpected segment
3	Required segment missing
4	Loop occurs over maximum times
5	Segment Exceeds Maximum Use
6	Segment not in defined transaction set
7	Segment not in proper sequence
8	Segment has data element errors
14	Implementation "Not Used" segment present
16	Implementation Dependent segment missing
17	Implementation loop occurs under minimum times

Code	Description
18	Implementation segment below minimum use
19	Implementation Dependent "Not Used" segment present

CTX

This segment describes the Context/Business Unit. The CTX segment is used to identify the data that triggered the situational requirement in the IK3.

Example:

IK3*CLM*22**8~

CTX*CLM01:123456789~

IK4

This segment reports errors in a data element.

Example:

IK4*2*782*1~

- IK401 contains the data element position in the segment that is in error. The "2" in the example above represents the second data element in the segment.
- IK402 contains the data element reference number as found in the appropriate TR3 document. The "782" in the example above represents the CLM02 data element from the 8371.
- IK403 contains the error code and states the specific error. The "1" in the example above represents "Required Data Element Missing."

Code	Description
1	Required data element missing
2	Conditional required data element missing
3	Too many data elements
4	Data element too short
5	Data element too long
6	Invalid character in data element
7	Invalid code value
8	Invalid date
9	Invalid time
10	Exclusion condition violated
12	Too many repetitions
13	Too many components

Code	Description
16	Code value not used in implementation
19	Implementation dependent data element missing
110	Implementation "Not Used" data element present
111	Implementation too few repetitions
112	Implementation pattern match failure
113	Implementation Dependent "Not Used" element present

NOTE: IK404 may contain a copy of the bad data element.

IK5

This segment reports errors in a transaction set.

Example:

IK5*R*5~

- IK501 indicates whether the transaction set is:
 - A = Accepted
 - \circ R = Rejected

The "R" in the example above means the transaction set was rejected due to errors.

• IK502 indicates the implementation transaction set syntax error. The "5" in the example above indicates "One or More Segments in Error."

Below is a sample of IK502 error codes. Please refer to the 999 TR3 document for a complete list of these error codes.

Code	Description
1	Transaction Set not supported
2	Transaction Set trailer missing
3	Transaction Set Control Number in Header/Trailer do not match
5	One or more segments in error

AK9

This segment reports the functional group compliance status.

Example:

AK9*P*2*2*1~

- AK901 indicates whether the entire functional group is:
 - A = Accepted

- P = Partially Accepted. The transaction set(s) rejected and will NOT be forwarded for processing. The transaction set(s) will need to be corrected and resubmitted.
- R = Rejected. The entire file rejected and will NOT be forwarded for processing.
 The file will need to be corrected and resubmitted.
- E = Accepted, But Errors Were Noted. No action is needed as this means the entire file was accepted for processing, but warning or informational edits were found.

The "P" in the example above means the functional group was partially accepted and at least one transaction set was rejected.

- AK902 contains the total number of transaction sets. In the example above, two transaction sets were submitted.
- AK903 contains the number of received transaction sets. In the example above, two
 transaction sets were received.
- AK904 contains the number of accepted transaction sets in a Functional Group. In the example above, one transaction set was accepted.
- AK905 contains the Functional Group Syntax Error Code.

Below is a sample of AK905 error codes. Please refer to the 999 TR3 document for a complete list of error codes.

Code	Description
1	Functional group not supported
2	Functional group version not supported
3	Functional group trailer missing
4	Group Control Number in the functional group Header and Trailer do not agree
5	Number of included transaction sets does not match actual count
6	Group Control Number violates syntax
17	Incorrect message length (Encryption only)
18	Message authentication code failed
19	Functional Group Control Number not unique within interchange

For additional information, consult the Implementation Acknowledgment for Health Care Insurance (999) Guide. TR3 documents may be obtained by logging onto www.wpc-edi.com and following the links to "HIPAA" and "HIPAA Guides".

8.3 The 837 Encounter Response File

If all encounter claims within the file pass SNIP Level 4 compliance, then the encounter claims will be processed by the backend Encounter Claim Engine and the 837 Encounter Response File will

be sent to the submitter. The response file will be available one business day after the file was received.

The response file contains the status of each encounter claim that was processed. One response file will be sent for each batch file received. Each edit/audit on an encounter claim is a record in the response file. If there are multiple edits/audits on the encounter claim, then an encounter claim will be in the file more than once. The Encounter Engine contains informational and threshold edits. Both types of edits are reported on the response file; however, only threshold edits will reject an encounter claim. An encounter claim with no edits or only informational edits will be accepted. Encounter claims can have both threshold and informational edits, but only the information pertaining to the threshold edit will need to be corrected and resubmitted for the encounter claim to be accepted. DHCFP reserves the right to change the edit type (informational and threshold) at any time.

Below is the file layout of the 837 Encounter Response file.

Field Name	Format	Length	Information
FILE_NUMBER	Char	9	This is the file number of the file submitted to Nevada Medicaid.
FILE_TYPE	Char	4	This field will contain 8371, 837D, or 837P depending on the type of transaction file it came in on.
FILE_STATUS	Char	1	A = Accepted, R = Rejected. If the file/batch is rejected, all of the encounter claims in that file will be rejected.
Nevada Medicaid_ICN	Char	13	ICN will be in the record if the encounter claim was accepted, "REJECTED" if not accepted.
MCO_TCN	Char	20	MCO TCN submitted
NUM_PAT_ACCT	Char	38	MCO Submitted Patient Account Number (CLM01)
ID_MEDICAID	Char	12	Recipient Medicaid ID
MCO_PROVIDER_NUMBER	Char	15	MCO Provider Number submitted
PROVIDER_ID	Char	15	The Primary Provider on the encounter claim.
TXN_TYPE	Char	1	Transaction type will have either of the following values: 'O' - Original, 'A' - Adjustments or 'V' - Void
INTERCHANGE_EDIT	Char	4	Interchange Edit on this encounter claim submitted (blank if no edit)
INTERCHANGE_EDIT_DESC	Char	50	Interchange Edit description (blank if no edit)

Field Name	Format	Length	Information
EDIT_SVC_LINE	Char	3	This is the detail number of the encounter the failed the edit. Zero indicates that header of the encounter. This field is only valid when there is an edit present.
Filler - line feed	Char	1	This is one character of filler - for Nevada Medicaid use. It will contain a line feed character.

NOTE: There will be a possibility of more than one record for each encounter claim since Nevada Medicaid is reporting back all the edits set on the encounter claim.

8.4 Encounter Claim Duplicate File

The duplicate file contains information about the encounter claim rejected as a duplicate and the related encounter claim within the Encounter Claim Engine.

Field Name	Format	Length	Information
NUM_PAT_ACCT	Char	38	MCO Submitted Patient Account Number with the MCO TCN
ID_MEDICAID	Char	12	Recipient Medicaid ID
DUPE_CLAIM_TYPE	Char	1	Encounter claim Type of the duplicate encounter claim
DUPE_SVC_LINE	Char	3	This is the detail number of the encounter the failed as a duplicate. Zero indicates that header of the encounter.
INTERCHANGE_AUDIT_NBR	Char	4	Interchange Audit Duplicate Error number
RELATED_DXC_ICN	Char	13	This is the encounter claim Nevada Medicaid ICN on file.
RELATED_NUM_PAT_ACCT	Char	38	MCO Submitted Patient Account Number
RELATED_CLAIM_TYPE	Char	1	Encounter claim Type of the duplicate encounter claim
related_svc_line	Char	3	This is the detail number of the encounter the failed as a duplicate. Zero indicates that header of the encounter.
Filler - line feed	Char	1	This is one character of filler - for Nevada Medicaid use. It will contain a line feed character.

NOTE: There will be a possibility of more than one record for each encounter claim since there are multiple reasons for duplicates and all reasons are reported to support resolution.

9 Trading Partner Agreements

Trading Partners who intend to conduct electronic transactions with Nevada Medicaid must agree to the terms of the Nevada Medicaid Trading Partner Agreement.

An EDI Trading Partner is defined as any entity (provider, billing service, software vendor, employer group, financial institution, etc.) that conducts electronic transactions with Nevada Medicaid. The Trading Partner and Nevada Medicaid acknowledge and agree that the privacy and security of data held by or exchanged between them is of utmost priority. Each party agrees to take all steps reasonably necessary to ensure that all electronic transactions between them conform to all HIPAA regulations.

Payers have EDI Trading Partner Agreements that accompany the standard implementation guide to ensure the integrity of the electronic transaction process. The Trading Partner Agreement is related to the electronic exchange of information, whether the agreement is an entity or a part of a larger agreement, between each party to the agreement.

A copy of the agreement is available on the Nevada Medicaid Provider Web Portal at https://www.medicaid.nv.gov/providers/edi.aspx.

10 Transaction Specific Information

This section describes how ASC X12N TR3 Implementation Guides adopted under HIPAA will be detailed with the use of a table. The tables contain a row for each segment that Nevada Medicaid has something additional, over and above, the information in the TR3s. That information can:

- Limit the repeat of loops or segments
- Limit the length of a simple data element
- Specify a sub-set of the TR3 internal code listings
- Clarify the use of loops, segments, composite and simple data elements
- Any other information tied directly to a loop, segment, composite or simple data element pertinent to trading electronically with Nevada Medicaid

In addition to the row for each segment, one or more additional rows are used to describe Nevada Medicaid's usage for composite and simple data elements and for any other information. Notes and comments should be placed at the deepest level of detail. For example, a note about a code value should be placed on a row specifically for that code value, not in a general note about the segment.

10.1 837I Encounter (Inbound)

TR3 Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
68		ВНТ	Beginning of Hierarchical Transaction			
68		ВНТО2	Transaction Set Purpose Code	00, 18		
			Original	00	2	
69		ВНТО6	Transaction Type Code	31, CH, RP		
			Reporting	RP	2	
71	1000A	NM1	Submitter Name			
72	1000A	NM109	Identification Code		10	Use the MCO Regional Medicaid Provider ID.

TR3 Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
73	1000A	PER	Submitter EDI Contact Information			The contact information in this segment identifies the person in the submitter organization who deals with data transmission issues. If data transmission problems arise, this is the person to contact in the submitter organization.
74	1000A	PERO2	Name		1/60	Required if different than the name contained in the Submitter Name (Loop 1000A-NM1 segment).
74	1000A	PERO3	Communication Number Qualifier	EM, FX, TE	2	
74	1000A	PERO4	Communication Number			
76	1000B	NM1	Receiver Name			
77	1000B	NM103	Name Last or Organization Name			Division of Health Care Financing and Policy
77	1000B	NM109	Identification Code	NVMED	5	
80	2000A	PRV	Billing Provider Specialty Information			
80	2000A	PRV03	Reference Identification		10	Enter a taxonomy code when using a National Provider Identifier (NPI).
84	2010AA	NM1	Billing Provider Name			
86	2010AA	NM109	Identification Code		10	Billing Provider NPI
87	2010AA	N3	Billing Provider Address			
87	2010AA	N301	Address Information		1/55	

TR3 Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
88	2010AA	N4	Billing Provider City/ State/ ZIP Code			
89	2010A	N403	Billing Provider Postal Zone or ZIP Code		9	The billing provider's 9-digit ZIP code (along with the other address information in the 2010AA N3 segment) is required.
90	2010AA	REF	Billing Provider Tax Identification			
90	2010AA	REFO2	Reference Identification		9	Billing Provider Tax identification Number
107	2000B	HL	Subscriber Hierarchical Level			For Nevada Medicaid, the insured and the patient are always the same person. Use this HL segment to identify the member and proceed to Loop 2300. Do not send the Patient Hierarchical Level (Loop 2000C).
108	2000B	HLO4	Hierarchical Child Code No Subordinate HL Segment in This Hierarchical Structure	0, 1	1	For Nevada Medicaid the Member is the Subscriber so there should never be a Dependent Level.
109	2000B	SBR	Subscriber Information			
109	2000B	SBR01	Payer Responsibility Sequence Number Code	A-H, P, S, T, U		
			Secondary (Primary COB)	S	1	
			Tertiary (Secondary COB)	Т	1	

TR3	Loop ID	Reference	Name	Codes	Length	Notes/Comments
Page #						
118	2000B	SBRO9	Claim Filing Indicator Code	11-17, AM, BL, CH, CI, DS, FI, HM, LM, MA, MB, MC, OF, TV, VA, WC, ZZ		
			Medicaid	МС	2	The value sent at this level should always be 'MC'.
112	2010BA	NM1	Subscriber Name			
113	2010BA	NM102	Entity Type Qualifier	1, 2		
			Person	1	1	
113- 114	2010BA	NM108	Identification Code Qualifier	II, MI		
			Member Identification Number	MI	2	
114	2010BA	NM109	Identification Code		11	11-digit Nevada Medicaid Recipient ID
122	2010BB	NM1	Payer Name			
123	2010BB	NM103	Name Last or Organization Name			
124	2010BB	NM108	Identification Code Qualifier	PI, XV		
			Payor Identification	PI	2	
124	2010BB	NM109	Identification Code	NVMED	5	
143	2300	CLM	Claim Information			

TR3 Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
144	2300	CLM01	Patient Control Number		1/38	Enter the MCO's encounter claim number.
						Nevada is requiring a concatenated field for the CLM01 element. This will allow maximum usage of this element to carry multiple information segments inside the single element. These sub-elements will not be separated by the ":", but merely concatenated together. Although this format is not required by the TR3 Guide, it will be required by Nevada Medicaid for correct processing and evaluation of the encounter.
						Refer to the tables below.
			Media Type (Position 1)		1	The Media Type will be the first byte of the CLM01 element in the X12 837 transaction.
						P – Paper
						E – Electronic
						W – Web
						I – IVR
						R – Portal

TR3 Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
rage #			Claim Status (Position 2)		1	The Claim Status will be the second byte of the CLM01 element in the X12 837 transaction. P – Paid D – Denied
			CMO Claim Number/Patient Control Number (Positions 3-38)		1/36	The CMO Claim number combined with the Providers Patient Control Number will be in positions 3-38.
145	2300	CLM05-3	Claim Frequency Code	1, 7, 8	1	Value indicates whether the current encounter claim is an original encounter claim, a void, or an adjustment.
						'1' = Original Encounter claim
						'7' = Adjustment
						(Replacement of Paid
						Encounter claim)
						'8' = Void (Credit only)
						The ICN to Credit should be placed in the REF02, where REF01=F8. Providers must use the most recently paid ICN when voiding or adjusting an encounter claim.
149	2300	DTP	Discharge Hour			Required on all final inpatient claims.
149	2300	DTP01	Date/Time Qualifier	096	3	
149	2300	DTP02	Date Time Period Format Qualifier	TM	2	
149	2300	DTP03	Date Time Period		8	Discharge Hour (HHMM)

TR3 Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
151	2300	DTP	Admission Date/Hour			Admission Date is required for Inpatient encounter claims.
151	2300	DTPO1	Date/Time Qualifier	435	3	435 = Admission
151	2300	DTPO2	Date Time Period Format Qualifier	D8	2	
151	2300	DTP03	Date Time Period		8	Format CCYYMMDD
158	2300	CN1	Contract Information			This segment must be excluded. If submitted, the transaction set will reject with "CN1 must be excluded".
164	2300	REF	Prior Authorization			
164	2300	REFO1	Reference Identification Qualifier	G1	2	
165	2300	REFO2	Prior Authorization Number			Prior Authorization Number.
166	2300	REF	Payer Claim Control Number			
166	2300	REFO1	Reference Identification Qualifier	F8	2	Adjust or void an encounter claim (as indicated by CLM05-3).
166	2300	REF02	Payer Claim Control Number			Enter the last paid Internal Control Number (ICN) that Nevada Medicaid assigned to the encounter claim.
184	2300	HI	Principal Diagnosis			
184- 185	2300	HI01-1	Code List Qualifier Code	ABK, BK	2/3	ABK = ICD-10 Principal Diagnosis
185	2300	HI01-2	Principal Diagnosis Code		3/7	For ICD-10, length allowed is 3-7
187	2300	HI	Admitting Diagnosis			

TR3 Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
, in the second	0200	1,110,1,1		A D L D L	0 /0	ADL ICD 10 A L :u:
188	2300	HI01-1	Code List Qualifier Code	ABJ, BJ	2/3	ABJ = ICD-10 Admitting Diagnosis
188	2300	HI01-2	Admitting Diagnosis Code		3/7	For ICD-10, length allowed is 3-7
218	2300	HI	Diagnosis Related Group (DRG) Information			
218	2300	HI01-1	Code List Qualifier Code	DR	2	
219	2300	HI01-2	Industry Code		3/5	DRG Code
220	2300	HI	Other Diagnosis Information			
221	2300	HI01-1	Code List Qualifier Code	ABF, BF	2/3	'ABF' – ICD-10 Other Diagnosis
221	2300	HI01-2	Industry Code		3/7	For ICD-10, length allowed is 3-7
239	2300	Н	Principal Procedure Information			
240	2300	HI01-1	Code List Qualifier Code	BBR, BR,	2/3	'BBR' – ICD-10 Principal Procedure Code
240	2300	HI01-2	Industry Code		3/7	For ICD-10, length allowed is 3-7
240	2300	HI01-3	Date Time Period Format Qualifier	D8	2	
240	2300	HI01-4	Date Time Period		8	Principal Procedure Date
						(CCYYMMDD)
242	2300	HI	Other Procedure Information			
243	2300	HI01-1, HI02-1, HI03-1, etc. through HI12-1	Code List Qualifier Code data elements only	BBQ, BQ		BBQ = ICD-10 Other Procedure Codes
243	2300	HI01-2	Industry Code		3/7	For ICD-10, length allowed is 3-7

TR3 Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
243	2300	HI01-3	Date Time Period Format Qualifier	D8	2	
243	2300	HI01-4	Date Time Period		8	Other Procedure Date (CCYYMMDD)
319	2310A	NM1	Attending Provider Name			Required for Inpatient Services. The 2310A Attending Provider Loop will also be used to capture 'Ordering Provider' for those encounter claims that are the results of order/referral.
321	2310A	NM109	Identification Code		10	Attending Provider NPI ID
322	2310A	PRV	Attending Provider Specialty Information			
322	2310A	PRVO3	Reference Identification		10	Attending Provider Taxonomy Code. Used for claims submitted with NPI ID.
324	2310A	REF	Attending Provider Secondary Identification			
324	2310A	REFO1	Reference Identification Qualifier	0B, 1G, G2, LU	2	
325	2310A	REFO2	Attending Provider Secondary Identifier		10	
326	2310B	NM1	Operating Physician Name			
328	2310B	NM109	Identification Code		10	Operating Physician NPI ID
331	2310C	NM1	Other Operating Physician Name			

TR3 Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
333	2310C	NM109	Identification Code		10	Other Operating Physician NPI ID
334	2310C	REF	Other Operating Physician Secondary Identification			
334	2310C	REFO1	Reference Identification Qualifier	0B, 1G, G2, LU	2	
335	2310C	REF02	Other Provider Secondary Identifier		10	
341	2310E	NM1	Service Facility Provider Name			
342	2310E	NM109	Identification Code		10	Service Facility Provider NPI ID
345	2310E	N4	Service Facility Location City, State, ZIP Code			The City, State and ZIP Code where the services were performed.
346	2310E	N403	Postal Code			When reporting the ZIP code for U.S. addresses submit the ZIP + 4.
347	2310E	REF	Service Facility Location Secondary Identification			
347	2310E	REFO1	Reference Identification Qualifier	0B, G2, LU	2	
348	2310E	REFO2	Reference Identification			
354	2320	SBR	Other Subscriber Information			

TR3 Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
355	2320	SBRO1	Payer Responsibility Sequence Number Code	A-H, P, S, T, U		MCO COB information will always be Primary and required. This is also true for the corresponding segment occurrences associated with the Primary COB/MCO iteration.
			Primary (Always CMO)	Р	1	
			Secondary (Primary COB)	S	1	
			Tertiary (Secondary COB)	Т	1	
355	2320	SBRO2	Relationship Code	01, 18- 21, 39- 40, 53, G8	2	Use '18' for MCO. For all other relationships use one of the other listed values.
356	2320	SBR09	Claim Filing Indicator Code	11-17, AM, BL, CH, CI, DS, FI, HM, LM, MA, MB, MC, OF, TV, VA, WC, ZZ	2	Use 'MC' for MCO encounter claims. Use MA or MB to indicate a Medicare payer on encounter claims for Medicare coinsurance and/or deductible. For all other relationships use one of the other listed values.
358	2320	CAS	Claim Level Adjustments			Adjustment amounts may be reported at both the encounter claim line and the service line, but they may not duplicate each other.
359- 363	2320	CAS02, CAS05, CAS08, CAS11, CAS14, CAS17	Adjustment Reason Code		1/3	All external code source values from code source 139 are allowed.

TR3 Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
364	2320	AMT	Coordination of Benefits (COB) Payer Paid Amount			
364	2320	AMT01	Amount Qualifier Code	D	1	Payer Amount Paid
364	2320	AMT02	Payer Paid Amount		10	Use the MCO Amount Paid when Primary, otherwise Amount paid per COB. It is acceptable to show "0" amount paid.
377	2330A	NM1	Other Subscriber Name			
379	2330A	NM108	Identification Code Qualifier	II, MI		
			Member Identification Number	MI	2	
379	2330A	NM109	Identification Code			Nevada Medicaid Recipient ID On encounter claims for Medicare coinsurance and/or deductible, enter the recipient's Medicare ID.
384	2330B	NM1	Other Payer Name			

TR3 Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
385	2330B	NM109	Identification Code		2/80	This number must be identical to at least once occurrence of the 2430-SVD01 to identify the other payer if the 2430 loop is present.
						Nevada Medicaid captures third party payment amount(s) from the service line(s) in 2430-SVD02.
						NOTE: The 2320/2330 Loop(s) can repeat up to 10 times for a single encounter claim and the 2430 Loop can repeat up to 15 times for a single detail.
389	2330B	DTP	Claim Check or Remittance Date			This DTP segment must be absent if the 2430 DTP is present.
389	2330B	DTP01	Date Claim Paid	573	3	
389	2330B	DTP02	Date Time Period Format Qualifier	D8	2	
389	2330B	DTP03	Date Time Period		8	Date encounter claim was received by MCO.
						(CCYYMMDD)
395	2330B	REF	Other Payer Claim Control Number			
395	2330B	REFO1	Reference Identification Qualifier	F8	2	

TR3	Loop ID	Reference	Name	Codes	Length	Notes/Comments
Page #					3	,
395	2330B	REF02	Reference Identification		1/50	MCO Internal Control Number (ICN) or Transaction Control Number (TCN)
						WHEN RE- SUBMITTING A REJECTED ENCOUNTER CLAIM, THIS FIELD NEEDS TO CONTAIN THE SAME ICN/TCN AS ON THE ORIGINAL ENCOUNTER CLAIM.
423	2400	LX	Service Line Number			
423	2400	LXO1	Line Counter		2	Nevada Medicaid will accept up to the HIPAA allowed 999 detail lines per claim.
424	2400	SV2	Institutional Service Line			NDC codes will not be captured in this segment, however an NDC must be sent in the LIN segment to supplement a J procedure code.
424	2400	SV201	Service Line Revenue Code		4	
425	2400	SV202-1	Product/Service ID	ER, HC, HP, IV, WK		
			HCPCS Code	HC	2	
428	2400	SV205	Service Unit Count		5	
449- 450	2410	LIN	Drug Identification			
451	2410	LIN02	Product or Service ID Qualifier	N4	2	

TR3	Loop ID	Reference	Name	Codes	Length	Notes/Comments
Page #	·					
451	2410	LIN03	National Drug Code			An NDC code is required when a J procedure code is billed in Loop 2400, Segment SV1, Data Element SV101-2.
452	2410	СТР	Drug Quantity			
452	2410	CTP04	National Drug Unit Count			Enter the actual NDC quantity dispensed.
453	2410	CTP05-1	Unit or Basis for Measurement Code	F2, GR, ME, ML, UN	2	
454	2410	REF	Prescription or Compound Drug Association Number			
454	2410	REF01	Prescription or Compound Drug Association Number	XZ	2	
476	2430	SVD	Line Adjudication Information			
476	2430	SVD01	Identification Code		2/80	This number should match one occurrence of the 2330B-NM109 identifying Other Payer.
477	2430	SVD02	Service Line Paid Amount		1/10	Service Line Paid Amount.
481	2430	CAS	Line Adjustment			Adjustment amounts may be reported at both the encounter claim line and the service line, but they may not duplicate each other. Use Claim Adjustment Reason Code (code source 139) to indicate the denial or cutback reason.

TR3 Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
482- 484	2430	CAS02, CAS05, CAS08, CAS11, CAS14, CAS17	Adjustment Reason Code		1/3	
486	2430	DTP	Claim Check or Remittance Date			
486	2430	DTPO1	Date Claim Paid	573	3	
486	2430	DTP02	Date Time Period Format Qualifier	D8	2	
486	2430	DTP03	Date Time Period		8	MCO Paid Date (CCYYMMDD)

Appendix A: Implementation Checklist

This appendix contains all necessary steps for submitting transactions with Nevada Medicaid.

- 1. Call the Nevada Medicaid EDI Helpdesk with any questions at (877) 638-3472 options 2, 0, and then 3 or send an email to: nvmmis.edisupport@dxc.com.
- 2. Check the Nevada Medicaid provider website at www.medicaid.nv.gov regularly for the latest updates.
- 3. Review the Trading Partner User Guide which includes enrollment and testing information. This can be found on the EDI webpage at: https://www.medicaid.nv.gov/providers/edi.aspx.
- 4. Confirm you have completed your Trading Partner Agreement and been assigned a Trading Partner ID.
- 5. Make the appropriate changes to your systems/business processes to support the updated companion guides. If you use a third party software, work with your software vendor to have the appropriate software installed.
- 6. Identify the Encounter transactions you will be testing:
 - Health Care Claim: Encounter Dental (837D)
 - Health Care Claim: Encounter Institutional (8371)
 - Health Care Claim: Encounter Professional (837P)
 - Health Care Claim: Encounter Professional NET (837P)
 - NCPDP Batch Transaction Standard Version 1.2 and Telecommunication Standard Version D.O.
- 7. If the entity testing is a billing intermediary or software vendor, use the provider's identifiers on the test transaction.
- 8. When submitting test files, make sure the recipients/encounter claims you submit are representative of the type of service(s) you provide to Nevada Medicaid providers.
- 9. Schedule a week for the initial test.

Appendix B: SNIP Edit (Compliance)

The Workgroup for Electronic Data Interchange (WEDI) Strategic National Implementation Process (SNIP) recommends seven types of testing to determine compliance with HIPAA. Nevada Medicaid has adopted this through SNIP Level 4 edits. At this level a claim's inter-segment relationships are validated. For example, if element A exists, then element B should be populated.

The following SNIP Level 4 edits are applied for Encounter 8371 transactions:

LOOP	MESSAGE
2010AA	2010AA PERO2 must be present for first iteration of PER
2010AC	2010AC can only be present when BHT06 = 31
2010AC	2010AC NM108 = "XV" when 2010AC REF_2U present
2010AC	2320 AMT01 = "D" is required when 2010AC is used
2000B	2000C HL must be absent when 2000B SBR02 = "18"
2000B	2010BA N3 must be present when 2000B SBR02 = "18".
2000B	2010BA DMG must be present when 2000B SBR02 = "18".
2000B	2300 CLM loop req'd in 2000B when 2000B SBR02 = "18".
2000B	2010BA N4 must be present when 2000B SBR02 = "18".
2000B	2000C required when 2000 SBR02 = "18" is absent.
2000B	2320 SBR must be present when 2000B SBR01 = "P"
2010BA	2010BA N3 must be absent when SBR02 = "18"
2010BA	2010BA DMG must be absent when SBR02 = "18"
2010BA	2000B SBR02 = "18" must be present when 2010BA N4 is present
2010BB	2010BB NM108 = "XV" when 2010BB REF_2U present
2010BB	2010BB REF01 = "G2";"LU" must be absent if 2010AA NM109 present
2310A	2310A REF_0B;1G;G2;LU must be absent if 2310A NM109 present
2310B	2310B REF_0B;1G;G2;LU must be absent if 2310B NM109 present
2310C	2310B is required when 2310C is used
2310C	2310C REF_0B;1G;G2;LU must be absent if 2310C NM109 present
2310D	2310D REF_0B;1G;G2;LU must be absent if 2310D NM109 present
2310F	2310F REF_0B;1G;G2 must be absent if 2310F NM109 present
2330B	2330B DTP must be absent if 2430 DTP present
2420A	2420A REF_0B;1G;G2;LU must be absent if 2420A NM109 present
2420B	2420B REF_0B;1G;G2;LU must be absent if 2420B NM109 present

LOOP	MESSAGE
2420C	2420C REF_0B;1G;G2;LU must be absent if 2420C NM109 present
2420D	2420D REF_0B;1G;G2 must be absent if 2420D NM109 present

Appendix C: Transmission Examples

This is an example of a batch file containing one claim. For Nevada Medicaid batch files have the ability to loop at the functional group, transaction and hierarchical levels. Each functional group within an interchange has to be the same transaction type.

```
ISA*00*
            *00*
                     *ZZ*TPID1234
*180227*0110*^*00501*000001371*0*T*:~
GS*HC*TPID1234*NVMED*20180227*011016*20*X*005010X223A2~
ST*837*0001*005010X223A2~
BHT*0019*00*130871338*201803280138*RP~
NM1*41*2*SUBMITTER INC*****46*1234567890~
PER*IC*CONTACT NAME*TE*8001231234~
NM1*40*2*DIVISION OF HEALTH CARE FINANCING AND POLICY*****46*NVMED~
HL*1**20*1~
NM1*85*2*BILLING PROVIDER****XX*BILLPNPI123~
N3*BILL PROV STREET~
N4*RENO*NV*895039998~
REF*EI*BILLTAXID~
HL*2*1*22*0~
SBR*S*18******MC~
NM1*IL*1*RECLNAME*RECFNAME****MI*00000123456~
N3*123 RECIPIENT STREET~
N4*RENO*NV*89503~
DMG*D8*19531207*M~
NM1*PR*2*DHCFP*****PI*NVMED~
CLM*EPPATACT1*2138.61***11:A:1**A*Y*Y~
DTP*096*TM*0012~
DTP*434*RD8*20170703-20170705~
CL1*4*5*01~
HI*ABK:T8731~
HI*ABJ:T8731~
HI*DR:0391~
HI*ABF:J151~
HI*BBR:0B110F5::D8:20170703~
NM1*71*1*PROVLNAME*PROVFNAME****XX*NPIID12345~
```

837 Health Care Claim/Encounter: Institutional Encounter (8371) PRV*AT*PXC*208000000X~ SBR*P*18*105010610******MC~ CAS*CO*172*148.19~ AMT*D*1393.52~ OI***Y***Y~ NM1*IL*1*RECLNAME*RECFNAME****MI*RECID123456~ N3*123 RECIPIENT STREET~ N4*RENO*NV*89503~ NM1*PR*2*MCO NAME*****PI*1234567890~ REF*F8*MCOICN~ LX*1~ SV2*0171**1190.5*DA*2~ SVD*OTHERPAYERID*1393.52**0171*2~ CAS*CO*45*-203.02~ DTP*573*D8*20120730~ LX*2~ SV2*0250**60.1*UN*2~ SVD*OTHERPAYERID*0**0250*2~ CAS*CO*45*60.1~ DTP*573*D8*20120730~ LX*3~ SV2*0270**91.38*UN*3~ SVD*OTHERPAYERID*0**0270*3~ CAS*CO*45*91.38~ DTP*573*D8*20120730~ LX*4~ SV2*0270**108.17*UN*1~ SVD*OTHERPAYERID*0**0270*1~ CAS*CO*45*108.17~ DTP*573*D8*20120730~ LX*5~

SV2*0300**35.96*UN*2~

CAS*CO*45*35.96~

SVD*OTHERPAYERID*0**0300*2~

DTP*573*D8*20120730~

LX*6~

SV2*0301**451.84*UN*6~

SVD*OTHERPAYERID*0**0301*6~

CAS*CO*45*451.84~

DTP*573*D8*20120730~

LX*7~

SV2*0471**82.6*UN*1~

SVD*OTHERPAYERID*0**0471*1~

CAS*CO*45*82.6~

DTP*573*D8*20120730~

LX*8~

SV2*0636**118.06*UN*2~

SVD*OTHERPAYERID*0**0636*2~

CAS*CO*45*118.06~

DTP*573*D8*20120730~

SE*78*0001~

GE*1*20~

IEA*1*000001371~

Appendix D: Frequently Asked Questions

This appendix contains a compilation of questions and answers relative to encounter claims submitted to Nevada Medicaid.

Q: As a Trading Partner or clearinghouse, who should I contact if I have questions about testing, specifications, Trading Partner enrollment or if I need technical assistance with electronic submission?

A: After visiting the EDI webpage located at: https://www.medicaid.nv.gov/providers/edi.aspx if you still have questions regarding EDI testing and Trading Partner enrollment support is available Monday through Friday 8 a.m.-5 p.m. Pacific Time by calling toll-free at (877) 638-3472 option 2, 0, and then 3. You can also send an email to nv.gov/providers/edi.aspx if you still have questions regarding EDI testing and Trading Partner enrollment support is available Monday through Friday 8 a.m.-5 p.m. Pacific Time by calling toll-free at (877) 638-3472 option 2, 0, and then 3. You can also send an email to nv.gov/providers/edi.aspx is available Monday through Friday 8 a.m.-5 p.m. Pacific Time by calling toll-free at (877) 638-3472 option 2, 0, and then 3. You can also send an email to nv.gov/providers/edi.aspx is a support in the partner of the partn

Q: Is the same Trading Partner ID used for all encounter file types?

A: Yes, the same Trading Partner ID will be used for all encounter file types, unless the Trading Partner has requested multiple Trading Partner IDs to use for different locations.

Q: Who should I contact if I have questions regarding how an encounter claim was processed or to check on the status of a submitted encounter claim?

A: MCOs should send an email to nvmmis.edisupport@dxc.com with any encounter claims status inquiries or questions regarding how an encounter claim was processed. The email should contain enough information to research the question. The following is a list of information that would be helpful in answering most questions:

- Trading Partner ID
- Contact Name
- Contact Phone Number
- Question
- Encounter claim Identifying Information (TCN or Processor Control Number)
- Original File Name
- Response File Name
- Duplicate File Name

Q: How do I request and submit EDI files through the secure Nevada Medicaid SFTP server in production?

A: Once you have satisfied testing, you will receive an approval letter via email, which will contain the URL to connect to production.

Q: What types of acknowledgment reports will Nevada Medicaid return following EDI submission?

A: Several acknowledgements are provided back to the submitter:

• A TA1 will be generated when errors occur within the interchange envelope ISA/IEA.

- A 999 acknowledgement will be returned on batch 837 transactions.
- An 837 encounter response file will be returned for all encounter claims stating each encounter claims' errors and disposition.
- An encounter claim duplicate file will be returned if duplicate encounter claims rejected within the Encounter Claims Engine.

Q: Is there a limit on the number of files which can be submitted per day or per week?

A: There is no limit to the number of files sent per day or week.

Q: Where can I find a copy of the HIPAA ANSI TR3 documents?

A: The TR3 documents must be purchased from the Washington Publishing Company at www.wpc-edi.com.

Q: Since there is only one 1000A submitter loop allowed per batch file, do you expect separate files for encounters for each of the MCOs Northern and Southern Medicaid Provider ID?

A: A MCO that has a separate provider ID for Northern and Southern Nevada must submit encounters for each provider ID separately. The provider ID is required in Loop 1000A.

Q: Is there a certain ICN numbering convention depending on type of transaction (i.e. all originals begin with 11, replacements begin with 99)?

A: The ICNs assigned in Encounters are 13 bytes. They have a two byte prefix that is the 'Region Code':

- 74 Adjustment
- 75 Void

The breakdown of the full 13 characters of the ICN is as follows:

- Position 1-2: Region code
- Position 3-7: Julian date
- Position 8-10: A sequential batch number from 1-999
- Position 11-13: A sequence number from 1-999

Q: What data elements must match on a void?

A: We have to receive the Encounter-generated claim ICN number which was assigned to the original claim being voided. The original ICN number was sent back on the Response file from when the original claim was first accepted. We would have to investigate if any other items are matched.

Q: When correctable rejects are received, by when do they have to be corrected and resubmitted? Are there timeliness measures or edits in place?

A: A disputed encounter file or claim must be corrected and resubmitted within sixty (60) calendar days of receipt of rejection.

Q: When a multiple line claim is submitted, some lines paid, some denied - what 2nd digit is expected on a partially denied encounter?

A: We determine paid and denied at the detail level based on the paid amount and paid quantity of service. The patient account number 2nd digit would contain a P.

Q: When resubmitting a rejected encounter, is it submitted as an original or as a replacement with ICN in REF F8?

A: A rejected claim needs to be resubmitted as an original. If the claim rejected because it was a duplicate of a previously accepted claim, then you would submit the ICN in ref 8 and a claim frequency of 7 if you need to replace the original claim with the adjusted claim.

Q: When a void is submitted, is a response returned indicating the submitted void was accepted?

A: Yes, a response will be returned indicating the void was accepted.

Q: Where is Aid Category value code to be submitted in the encounter file? Is Aid Category required for all members or just those within the Nevada Check Up Program?

A: We don't do anything with Aid Category in Encounter.